

MINI
PATRICIA ROUND LENSES

MINI
PATRICIA ZOOM

MINI
PATRICIA .02

MINI
PATRICIA .01

MINI
PATRICIA FLAT

MINI
PATRICIA LOL

MINI
MOTION LENSES

MINI LED
MODULES

ALARIK MINI

Mastering light has never been so easy

Magnetic. That's the look of lighting with the Alarik family. Incredibly dynamic, it features a magnetic application system and a choice of finishes, sizes and profiles.

Alarik, Alarik Slim, Alarik Slim Round, Alarik Mini and Alarik Mini Round make up a collection of almost gadget-like models with an important mission, to get the absolute best from a lighting system.

Jugar con luz nunca ha sido tan fácil

Puro magnetismo. Así es la atracción que provoca iluminar con la familia Alarik. Extremadamente dinámica gracias a su sistema de aplicación imantado y a sus diferentes acabados, tamaños y perfiles.

Alarik, Alarik Slim, Alarik Slim Round, Alarik Mini and Alarik Mini Round, un conjunto de modelos que casi parecen gadgets al servicio de una "importante misión": sacar todo el jugo posible a una instalación de luminarias.

new



FINISHES

● COLORS



DIMENSIONS

● LENGTHS

PER METER

COMPONENTS

MINI PATRICIA
MINI PATRICIA LOL
MINI PATRICIA ZOOM
MINI MOTION LENSES
MINI LENSES
MINI LED MODULES
MINI PATRICIA FLAT
MINI PATRICIA ROUND LENSES

POWER

STANDARD

CRI

90

COLOR TEMPERATURE

2700K | 3000K | 4000K

▼ DIMMABLE OPTIONS


▲ LIGHT DISTRIBUTION

DOWN

LUMINAIRE INCLUDES

.SR

Surface mounting kit



ON DEMAND
Custom dimensions

INSTALLATIONS



.PN
PENDANT

·210006 ALARIK MINI | PN
Pag. 164



.SR
SURFACE

·210006 ALARIK MINI | SR
Pag. 164




.TR
TRIMLESS

·210006 ALARIK MINI | TR
Pag. 616



ALARIK MINI

REF 210006.PN | 210006.SR





PENDANT | SURFACE

.SR

.PN



PENDANT | SURFACE

ALARIK MINI	DIMENSION	FINISH	SKETCH
	210006 .01 1m	●	



Reference order | 210006.XX | .SR | .PN | .XX

48V TRANSFORMER	DIMENSION	WATT
DR48	.01	75
	.02	120
	.03	200





Reference order | DR48.XX

POWER FEEDER	REF.	FINISH	SKETCH
	ACC210006.CA	● .BK-BK .WH-WH	



Reference order | ACC210006.CA.XX

MINI PATRICIA ZOOM	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450003	.01	●	.15-40	.ST	.9	.27	519	6	48	-	
							.30	557				
							.40	583				



Reference order | 450003.01.XX.XX | .ST | .9 | .XX | .XX

MINI PATRICIA	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450001	.01	●	.15 .24 .30	.ST	.9	.27	519	3	48	-	
							.30	557				
							.40	583				
	450001	.02	●	.15 .24 .30	.ST	.9	.27	1173	6	48	-	
							.30	1181				
							.40	1207				



Reference order | 450001.XX.XX.XX | .ST | .9 | .XX | .XX

MINI PATRICIA LOL	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450002	.01	●	.15 .24 .36	.ST	.9	.27	576	6	48	-	
							.30	607				
							.40	695				

Reference order | 450002.01.XX.XX | .ST | .9 | .XX | .XX


MINI PATRICIA FLAT	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450007	.01	●	.15 .30 .36	.ST	.9	.27	548	6	48	-	
							.30	588				
							.40	616				

Reference order | 450007.01.XX.XX | .ST | .9 | .XX | .XX

MINI PATRICIA ROUND LENSES	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450008	.01	●	.30 .36 .60	.ST	.9	.27	981	9	48	-	
							.30	1017				
							.40	1080				

Reference order | 450008.01.XX.XX | .ST | .9 | .XX | .XX





Select finishes



ALARIK MINI

REF 210006.PN | 210006.SR

PHOTOMETRY



PENDANT | SURFACE

SR

PN

PENDANT | SURFACE

MINI LENSES	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450005	.01	●	.23 .28 .36	.ST	.9	.27	538	9	48	-	
							.30	571				
							.40	656				

Reference order | 450005.01.XX.XX.ST9.XX.XX

MINI MOTION LENSES	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450004	.01	●	.23 .28 .36	.ST	.9	.27	547	9	48	-	
							.30	570				
							.40	634				

Reference order | 450004.01.XX.XX.ST9.XX.XX

MINI LED MODULES	REF.	DIMENSION	FINISH	DIFFUSER	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450006	.01	●	.OP	.ST	.9	.27	678	6	48	-	
							.30	688				
							.40	720				
	450006	.02	●	.OP	.ST	.9	.27	1256	12	48	-	
							.30	1274				
							.40	1340				
	450006	.03	●	.OP	.ST	.9	.27	1856	24	48	-	
							.30	1904				
							.40	2024				

Reference order | 450006.XX.XX.XX.ST9.XX.XX

COMPONENTS

COVERT KIT	REF.	FINISH
	TF21	●

Reference order | TF21.SR.PN.XX

SUSPENSION KIT	REF.
	ACC210006.SC

Reference order | ACC210006.SC

JOINTS & CONNECTORS

LINEAR JOINT	ANGLE JOINT	CROSS JOINT	T-JOINT	WALL-CEILING JOINT	FINISH
					● .BK .WH
UR21	UL21	UC21	UT21	UV21	


BOXES (.PN) Not-included, please select:

Reference order | XX.XX

CONNECTION BOX FOR ELECTRIC CONVERTER	ELECTRIC CONVERTER BOX	FINISH
		●
CB09.12	CB06.40	
	CB08.38	

Reference order | XXXX.XX

● Select finishes




ALARIK MINI

REF 210006.PN | 210006.SR

PHOTOMETRY

MINI LENSES




PHOTOMETRY

MINI LED MODULES



PROFILE





MINI PATRICIA
450001

MINI PATRICIA
450001

MINI PATRICIA ROUND LENSES
450005

MINI PATRICIA FLAT
450007

MINI PATRICIA LOL
450002



MINI MOTION LENSES
450004

MINI LENSES
450005


MINI PATRICIA ZOOM
450003

MINI LED MODULES
450006

ALARIK MINI



new





new

FINISHES

● COLORS



DIMENSIONS

● LENGTHS

PER METER

COMPONENTS

MINI PATRICIA
 MINI PATRICIA LOL
 MINI PATRICIA ZOOM
 MINI MOTION LENSES
 MINI LENSES
 MINI LED MODULES
 MINI PATRICIA FLAT
 MINI PATRICIA ROUND LENSES

POWER

STANDARD

CRI

90

COLOR TEMPERATURE

2700K | 3000K | 4000K

▼ DIMMABLE OPTIONS

▲ LIGHT DISTRIBUTION

DOWN

LUMINAIRE INCLUDES

Trimless mounting kit



ON DEMAND
 Custom dimensions

INSTALLATIONS



.PN
 PENDANT

·210006 ALARIK MINI | PN
 Pag. 164



.SR
 SURFACE

·210006 ALARIK MINI | SR
 Pag. 164




.TR
 TRIMLESS

·210006 ALARIK MINI | TR
 Pag. 616



ALARIK MINI

REF 210006.TR



TRIMLESS

ALARIK MINI	DIMENSION	FINISH	SKETCH
	210006 .01 1m		

Reference order | 210006.XX.TR.XX

48V TRANSFORMER	DIMENSION	WATT
DR48	.01	75
	.02	120
	.03	200

Reference order | DR48.XX

POWER FEEDER	REF.	FINISH	SKETCH
	ACC210006.CA	.BK-BK .WH-WH	

Reference order | ACC210006.CA.XX

MINI PATRICIA ZOOM	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450003	.01		.15-40	.ST	.9	.27	576	6	48	-	
							.30	607				
							.40	695				

Reference order | 450003.01.XX.XX.ST9.XX.XX

MINI PATRICIA	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450001	.01		.15 .38 .60	.ST	.9	.27	576	3	48	-	
							.30	607				
							.40	695				
	450001	.02		.15 .38 .60	.ST	.9	.27	1173	8	48	-	
							.30	1181				
							.40	1207				

Reference order | 450001.XX.XX.XX.ST9.XX.XX

MINI PATRICIA LOL	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450002	.01		.36	.ST	.9	.27	576	6	48	-	
							.30	607				
							.40	695				

Reference order | 450002.01.XX.XX.ST9.XX.XX

MINI PATRICIA FLAT	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450007	.01		.15 .30 .36	.ST	.9	.27	558	5	48	-	
							.30	560				
							.40	604				


Reference order | 450007.01.XX.XX.ST9.XX.XX

MINI PATRICIA ROUND LENSES	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450008	.01		.30 .36 .60	.ST	.9	.27	558	9	48	-	
							.30	560				
							.40	604				

Reference order | 450008.01.XX.XX.ST9.XX.XX

Total length = Profile length + 2x2mm (Cover kit).
 (Total length + 2mm) x 30mm.
 55mm.

• Select finishes








- ALUMINIUM PC
- 0°
- 0°
- CRI ≥90
- IK05
- IP20
- IP23
- LIFE 50000H
- DIM OPTIONAL
- 48V. REMOTE
- RECOOL
- RECOOL
- RECOOL
- 220-240 V 50-60 Hz
- CE

ALARIK MINI


REF 210006.TR

PHOTOMETRY



PROFILE

12,5mm Standard Ceiling



MINI LENSES	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450005	.01	●	.23 .28 .36	.ST	.9	.27	538	9	48	-	
							.30	571				
							.40	656				

Reference order **450005.01.XX.XX.ST.9.XX.XX**

MINI MOTION LENSES	REF.	DIMENSION	FINISH	OPTIC OPTIONS	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450004	.01	●	.23 .28 .36	.ST	.9	.27	547	9	48	-	
							.30	570				
							.40	634				

Reference order **450004.01.XX.XX.ST.9.XX.XX**

MINI LED MODULES	REF.	DIMENSION	FINISH	DIFFUSER	POWER	CRI	K	LUMEN	WATT	VdC	DIMM	SKETCH
	450006	.01	●	.OP	.ST	.9	.27	678	6	48	-	
							.30	688				
							.40	720				
	450006	.02	●	.OP	.ST	.9	.27	1256	12	48	-	
							.30	1274				
							.40	1340				
	450006	.03	●	.OP	.ST	.9	.27	1856	24	48	-	
							.30	1904				
							.40	2024				

Reference order **450006.XX.XX.XX.ST.9.XX.XX**

COMPONENTS

COVERT KIT	REF.	FINISH
	TF21	●


Reference order **TF21.TR.XX**

JOINTS & CONNECTORS

LINEAR JOINT	ANGLE JOINT	CROSS JOINT	T-JOINT	WALL-CEILING JOINT	FINISH
					●
UR21	UL21	UC21	UT21	UV21	ACC21006.UP

Reference order **XX.XX**

● Select finishes




ALARIK MINI

REF 210006.TR


PHOTOMETRY

MINI LENSES



PHOTOMETRY


MINI LED MODULES



OPAL

PROFILE

12,5mm Standard Ceiling



TRIMLESS